

Attestation

E1-581

Herewith it is confirmed that in the second half of 2018, performed on 21.11.2018, a regular supervision of the product

Birch Plywood EN 636-1

plywood, birch, melamine-urea-formaldehyde (MUF), unfaced
in the thickness range: $> 12 \text{ mm} \leq 25 \text{ mm}$

manufactured by

A/S Latvijas Finieris
mill "Lignums"
Finiera iela 6
1016 Riga
Latvia

was carried out by the approved supervision body (NDS08)

Fraunhofer Institute for Wood Research

Wilhelm-Klauditz-Institut WKI
Bienroder Weg 54E, 38108 Braunschweig, Germany

according to supervision contract no. 581 dated August 20, 2013. It was found that the requirements on personal and equipment are suitable to produce the product in an adequate way and the factory production control meets the requirements of the "Regulation on the classification and external supervision of wood-based panels regarding formaldehyde emission (DIBt - Guideline 100)" dated June 1994. This attestation is part of the evaluation report. The continuous external supervision of factory production control shall take place twice a year.

Dipl.-Ing. Harald Schwab
Head of the Testing, Supervision
and Certifying Body
Braunschweig, February 12, 2019



E1
DIBt-Richtlinie 100

Vorstand der Fraunhofer-Gesellschaft
Prof. Dr.-Ing. habil. Prof. E.h. Dr.-Ing. E.h. mult. Dr. h.c.
Reimund Neugebauer, Präsident
Prof. Dr. rer. publ. ass. iur. Alexander Kurz
Dipl.-Kfm. Andreas Meuer
Prof. Dr. rer. nat. Georg Rosenfeld

Fraunhofer-Gesellschaft zur Förderung
der angewandten Forschung e. V., München

WKI ist eine eingetragene Marke
der Fraunhofer Gesellschaft



The mark of
responsible forestry



Certificate of Registration

This is to certify that

SRM ORMAN ÜRÜNLERİ SANAYİ VE TİCARET ANONİM ŞİRKETİ

"the certified site" has been certified in accordance with the
requirements of the Forest Stewardship Council® A.C. using the FSC®
Chain of Custody standards* and that SRM ORMAN ÜRÜNLERİ SANAYİ
VE TİCARET ANONİM ŞİRKETİ of
**ORTABURUN KÖYÜ MERKEZ MEVKİİ G8 SOKAK NO:2/1
ÇINARCIK, YALOVA, 77302, TURKEY**

is hereby licensed to use the FSC Logo on and sell as FSC certified all
products listed on the attached FSC product schedule as **FSC 100%**

Certificate Registration

SA-COC-006834

Code:

Issue Number 1.0

Licence Code:

FSC-C147449

Issued By:

Soil Association Certification Limited
Spear House, 51 Victoria Street Bristol,
BS1 6AD
United Kingdom

Issue Date:

29 March 2019

Valid until the Renewal

28 March 2024

Date:

Subject to successful annual surveillance

**Signed on behalf of Soil
Association Certification**

Kevin Jones
Kevin Jones, Head of Forestry

CA-COC-006-17 Nov 2018 © Prepared by Soil Association Certification Ltd. FSC Licence Code FSC® A000525

*This certificate is only valid for sale of FSC products when accompanied by a current product schedule. Validity of this certificate shall also be verified by checking the FSC database: info.fsc.org or by contacting Soil Association Certification: forestry@soilassociation.org This Certificate is the property of Soil Association Certification Ltd and all copies or reproductions of the certificate shall be destroyed or returned to the Soil Association Certification Ltd immediately, on request.

A description of the products, sites or services that are included in the scope of the certificate may be obtained from Soil Association Certification on request.

This certificate itself does not constitute evidence that a particular product supplied by the certificate holder is FSC certified (or FSC controlled wood). Products offered, shipped or sold by the certificate holder can only be considered covered by the scope of this certificate when the required FSC claim is clearly stated on invoices and shipping documents.



SERTİFİKA CERTIFICATE OF REGISTRATION

Bu sertifika aşağıdaki kuruluşa
This certificate has been awarded to the company

SRM ORMAN ÜRÜNLERİ SANAYİ VE TİCARET ANONİM ŞİRKETİ

**Merkez {Headquarters}: Oruçreis Mah. Tekstilkent Cad. Tekstilkent Sit.Blok
B 12 A 101 Esenler,İSTANBUL**

**Fabrika {Factory}: Ortaburun Köyü Merkez Mevkii G8 Sokak No:2/1
Çınarcık,YALOVA**

Uygulanmakta olan Kalite yönetim sisteminin
To certify that the implemented Quality management system complies with

ISO 9001:2015

Standardına uygunluğunu belgelendirmek amacı ile aşağıdaki kapsamda verilmiştir.
For the activities described below

AHSAP DÖŞEMELERİN VE YER DÖŞEMELERİNİN İMALATI

MANUFACTURE OF HARDWOOD, ENGINEERING HARDWOOD, WOODING FLORING AND FLOOR COVERING

Sertifika No. / Certificate No.: 1940054
ilk Belgelendirme Tarihi / Initial Certification Date: 04.03.2019
Sertifika Tarihi / Date of Certificate: 04.03.2019
Bitiş, Tarihi / Expiry Date: 03.03.2020
Belgelendirme Periyodu / Certification Period: 3 Yıl / Years

istanbul, 04.03.2019

iş bu sertifika, Naviga'nın prosedür, talimatlarına ve yukarıdaki standardın gerekliliklerine ve düzenli olarak yapılacak gözetim denetimlerinin başarı ile tamamlanmasına bağlı olarak, yukarıdaki adres ve kapsam dahilinde geçerlidir.

This certificate is valid for above address(es) and scope upon compliance with Naviga procedure(s), Instruction(s) and the above mentioned standard and successful completion of regular surveillance audits.



TURKAK BÖS NO
YS-72EE -EDBF

NAVIGA ULUSLARARASI BELGELENDİRME VE EĞİTİM HİZMETLERİ LTD. ŞTİ.

Metropol Center Kat 11 Ofis 46 Merter 34010 / İSTANBUL

Tel: 0212 482 96 56 Fax: 0212 482 94 24 www.navigaitd.com • Info@navigaitd.com



Trattamento UV a base di olio modificato con oligomeri acrilati idoneo per la verniciatura di pavimenti in legno. Pavimenti in legno verniciati con UV OIL ONE 1317 sono caratterizzati da ottima durezza, distensione ed elasticità. Conferisce al manufatto in legno un aspetto caldo e naturale.

Acrylic oligomer modified oil-based UV treatment suited to lacquer hardwood floors. Hardwood floors lacquered with UV OIL ONE 1317 are characterised by excellent hardness, distribution and elasticity. Grants wood a warm and natural aspect.

	UV OIL ONE 1317			
	UV OIL PRYMER 2406	TRASPARENTE TRANSPARENT	COLORATO COLORED	LED OIL
Viscosità <i>Viscosity</i>	30" ± 2 DIN6	145" ± 5 DIN4	145" ± 5 DIN4	60" ± 2 DIN6
Residuo secco* <i>Solid content</i>	99%	99%	99%	99%
Rapporto di catalisi <i>Mixture ratio</i>	Fotoiniziato <i>Photoinitiated</i>	Fotoiniziato <i>Photoinitiated</i>	Fotoiniziato <i>Photoinitiated</i>	Fotoiniziato <i>Photoinitiated</i>
Flash off <i>Flash off</i>	NO	NO	NO	NO
Indurimento <i>Hardening</i>	1 lampada 80W cm <i>1 80W cm lamp</i>	1-3 lampada 80W cm <i>1-3 80W cm lamp</i>	1-3 lampada 80W cm <i>1-3 80W cm lamp</i>	1 lampada led 7W cm <i>1 7W cm led lamp</i>
Gloss <i>Gloss</i>	N.A.	Da 5 a 60 <i>From 5 to 60</i>	Da 5 a 60 <i>From 5 to 60</i>	10
Applicazione <i>Application</i>	Spalmatrice <i>Single head roller coater</i>	Reverse - Spalmatrice <i>Reverse - Single head roller coater</i>	Reverse - Spalmatrice <i>Reverse - Single head roller coater</i>	Reverse - Spalmatrice <i>Reverse - Single head roller coater</i>
Resa <i>Coverage</i>	10-15 g/m²	10-15 g/m²	10-15 g/m²	10-20 g/m²
Caratteristiche principali <i>Main characteristics</i>	Primer UV OIL da utilizzare per migliorare l'adesione dove non è previsto l'utilizzo di pad + spazzole <i>UV OIL primer to be used to improve the adhesion where is foreseen the use of pad and brushes</i>	Aspetto naturale. Facilità d'uso. Prodotto unico <i>Natural aspect. Easy to use. Single product</i>	Utilizzato come prima mano nella colorazione di pavimenti successivamente finiti con ciclo UV OIL ONE 1317 <i>Used as a first coat in floor colouring later finished with a UV OIL ONE 1317 cycle</i>	Aspetto naturale e morbido al tatto. Disponibile in versione trasparente e colorata. <i>Natural look and feel. Available transparent and colored</i>

*Dopo essiccazione UV/Indurimento. *After UV drying/Hardening.*



MANAGEMENT SYSTEM CERTIFICATE

Certificate No:
10000405147-MS-C-RvA-DEU

Initial certification date:
06 December 2013
(by different Certification Body)

Valid:
04 November 2020 - 05 December 2022

This is to certify that the management system of

Jowat SE

Ernst-Hilker-Str. 7-13, 32758 Detmold, Germany
and the sites as mentioned in the appendix accompanying this certificate

has been found to conform to the Energy Management System standard:
ISO 50001:2018

This certificate is valid for the following scope:

Development, manufacture and sale of adhesives, primers and special products

The scope of the system includes all processes and assets under the company's control at the certified sites.

Place and date:
Barendrecht, 04 November 2020



For the issuing office:
DNV GL - Business Assurance
Zwolsseweg 1, 2994 LB Barendrecht,
Netherlands




Erie Koek
Management Representative

MANAGEMENT SYSTEM CERTIFICATE

Certificate No:
10000401843-MS-C-RvA-DEU

Initial certification date:
29 January 2018
(by different Certification Body)

Valid:
14 December 2020 - 14 December 2023

This is to certify that the management system of

Jowat SE

Ernst-Hilker-Str. 7-13, 32758 Detmold, Germany

has been found to conform to the Environmental Management System standard:
ISO 14001:2015

This certificate is valid for the following scope:

Development, manufacture and sale of adhesives, primers and special products

Place and date:
Barendrecht, 04 November 2020



The RvA is a signatory to the IAF MLA

For the issuing office:
DNV GL - Business Assurance
Zwolsseweg 1, 2994 LB Barendrecht,
Netherlands

Erie Koek
Management Representative

MANAGEMENT SYSTEM CERTIFICATE

Certificate No:
122282-2012-AQ-GER-DAkks

Initial certification date:
06.December 2012

Valid:
04.December.2018 - 03.December 2021

This is to certify that the management system of



Jowat SE

Ernst-Hilker-Str. 10-14, 32758 Detmold, Germany
and the sites as mentioned in the appendix accompanying this certificate

has been found to conform to the Quality Management System standard:

ISO 9001:2015

This certificate is valid for the following scope:

Development, manufacture and sale of adhesives, primers and special products

Place and date:
Essen, 26. September 2018



For the issuing office:
DNV GL - Business Assurance Schnieringshof 14, 45329 Essen, Germany

Thomas Beck
Technical Manager





DECLARATION OF CONFORMITY

CERTIFICATE NO: CE-100122EN

MANUFACTURER

NAME : SRM ORMAN ÜRÜNLERİ SANAYİ VE TİCARET ANONİM ŞİRKETİ

ADDRESS : ORTABURUN KÖYÜ, MERKEZ MEVKİİ G8. SK. NO: 2/1
ÇINARCIK - YALOVA, TÜRKİYE

The manufacturer herewith declares that the described products meet the essential requirements of the below mentioned standards as based on Construction Products Directive 305/2011/EC (ex: 89/106/EEC).

The item of equipments which identified below has been subject to internal manufacturing checks with monitoring of the final assessment by the manufacturer. In case of alteration of the product this declaration will lose its validity.

PRODUCT:

PLYWOOD & 3 LAYER

RELATED DIRECTIVES:

Construction Products Directive 305/2011/EC (ex: 89/106/EEC) System 4

Regulations Applied according to :

EN 636: Plywood - Specifications

Place/Date : İstanbul - TURKEY / 10.01.2022

Validity Date : 09.01.2023

Signed on behalf of the Manufacturer



Certificate Search



Authorized Signature



EUROPEAN QUALITY CERTIFICATION

